RECHARGE WITH A LIND AUTO/AIR AC POWER ADAPTER POWER AND CHARGE LAPTOPS D PHONES SIMULTANEOUSLY USING ANY POWER SOURCE. ONE ADAPTER. ANY DEVICE. ANYWHERE. Power your mobile devices anywhere you go with the new Lind Auto/Air AC Power Adapter. This unique all-in-one AC/DC/DC power adapter enables you to power your portable electronics wherever life takes you - at the office, on the road or in the air. Now you can power your notebook computer, mobile phone, MP3 player, portable printer and other USB devices using a single power adapter. Power and charge laptops and phones simultaneously Use with any power source (wall outlets, automotive lighter sockets, in-seat adapters on airplanes) Eliminates the need for multiple, confusing tips Special safety circuitry protects sensitive devices Convenient nylon carrying case protects against wear and tear

POWER SPECIALISTS FOR MOBILE COMPUTING

For more information, please contact Lind at **1.800.697.3701**, via email at **info@lindelectronics.com**, or visit us online at **www.lindelectronics.com**.

INTERFACE with or without the 5MBUS

2590 SMBUS BATTERY CABLES

Lind's 2590 SMBUS Battery Cables are designed to interface with BB-2590 batteries[†] with or without the SMBUS. These cables are also compatible with other -xx90 military batteries.

Many optional configurations are possible, including:

- I2V or 24V operation
- · With or without on-board charge enable
- · With or without SMBUS connections
- · Various cable lengths and types available
- On-board diode isolation available
- † NOTE: BB-2590 military battery not included

To learn more about how Lind's 2590 SMBUS Battery Cables can meet your mobile power needs, contact Lind Electronics at 1.800.897.8994, via email at info@lindelectronics.com or visit us online at www.lindelectronics.com.



POWER SPECIALISTS FOR MOBILE COMPUTING



INTERFACE with or without the SMBUS

Lind's 2590 SMBUS Battery Cables are designed to interface with BB-2590 batteries† with or without the SMBUS. These cables are also compatible with other -xx90 military batteries.

Many optional configurations are possible, including:

- 12V or 24V operation
- With or without on-board charge enable
 - With or without SMBUS connections
- Various cable lengths and types available
- On-board diode isolation available
- † NOTE: BB-2590 military battery not included

SMBUS Connections

Power Connections

To learn more about how Lind's 2590 SMBUS Battery Cables can meet your mobile power needs, contact Lind Electronics at 1.800.897.8994, via email at info@lindelectronics.com or visit us online at www.lindelectronics.com.





POWER SPECIALISTS FOR MOBILE COMPUTING